# **Isomuscone**®



- > 600359
- > EU-REACh 01-0000018352-75
- > cas 2550-52-9
- > Isomuscone® 50 % DEP 600366 Isomuscone® 50 % IPM 600367

### Pii

#### Perfumery Use

- > already efficient at small use levels
- > reflects musk xylene aspects
- synergistic effects occur by combining with other MCM ketones and lactones
- > recommended use level: 0.1 5 %




> Musky, Tonkin Musk, Animalic






#### **Chemical Structure**

> Cyclohexadecanone




 $C_{16}H_{30}O$ 




### Pd

#### **Product Data**

>	Appearance	pale white to white scales
>	GC Purity	min. 98.5 %
>	Flash Point	not applicable
>	MW	238.4 g/mol
>	BP	339.8°C
>	Log P (k <sub>ow</sub> )	6.04
>	Stabilizer	no
>	Occ. in Nature	yes
>	Biodegradability	79.0% (inherently)
·····	Chem. Class.	macrocyclic ketone





isomuscone\*



## Isomuscone®





-	+ -             wet         dry						
Diffusivity	in Detergent Powder						
Blooming							
3	in Fabric Softener						
Duraina Durana di ala							
Burning Properties on incense sticks							
Threshold in Air							
Threshold in Air 0.0501 µg/l							

Dos. %	3 months at 40 °C	рН	-	Discolor	ation	+	-	Odor	+
> 4.0	Eau de Toilette	-							
> 1.2	Soap	9-10							
> 1.0	AP Roll-On 15 % ACH	4							
> 1.0	Deostick, Stearate	8.5							
> 0.5	Shampoo/Shower Gel	6							
> 0.4	Hair Conditioner	4							
> 0.3	Body Lotion	6.5							
> 0.6	Fabric Softener Conc.	2.5							
> 0.5	Detergent Heavy Duty Liquid	8.5							
> 0.3	Detergent Powder Conc.	10							
> 8.0	Rimblock Liquid	7							
> 0.3	Cleaner APC Liquid	8-10							
> 0.3	Cleaner Liquid Citric Acid	2							

These suggestions and data are based on information we believe to be reliable. They are offered in good faith, but without guarantee, as conditions and methods of use of our products are beyond our control. Symrise makes no warranties, either expressed or implied, as to the accuracy or appropriateness of this data. Symrise expressly disclaims any implied warranty of fitness for a particular use. We recommend that prospective users determine for themselves the suitability of Symrise materials and suggestions for any use prior to their adoption. We also recommend that prospective users, as required, obtain approval from appropriate regulatory authorities. Suggestions for uses of our products or the inclusion of descriptive and other products of the contract of the contmaterial from patents and the citation of specific patents in this publication should not be understood as recommending the use of our products in violation of any patent or as a permission or licence to use any patent of Symrise.